



Statligt Ramavtal - Möbler och inredning
Delområde - Möten och Paus

Sedus - Produktlista 1.0

Martela

Ramavtalsnummer 23.3-5384-2022:013

se:lab sofa

sedus

Mobile and flexible furniture supports creative and communicative working methods. With the addition of the single-seater on castors, agile workshop situations and spontaneous exchange become even more vibrant.



Single from 11.178,-



Two-seater from 15.650,-



se:lab sofa



200

Design: Falk Blümke (sedus Design Team)

25 % rabatt ska dras av på angivna priser

Sedus se:lab sofa

► Mobile sofa

	9	4	2	1	
	Era Nova Phoenix	Connect Cura Fame Step	Milano Remix Temp	Breeze Fusion Morph Steelcut Trio 3	
	lk-601	11.187,-	12.339,-	14.181,-	16.961,-
	lk-602	15.650,-	17.232,-	18.735,-	21.040,-

Backrest

Cover backrest as seat	■	0000	
Different cover for back element	□	7026	339,-

Frame

Steel frame black	■	8000-103	
Steel frame fjord green	□	8000-157	
Steel frame clear white	□	8000-158	
Steel frame cayenne red	□	8000-159	
Steel frame sand beige	□	8000-160	


Castors / Glides

Lockable soft castors	■	2703	
-----------------------	---	------	--

Fire protection

Without fire protection	■	0000	
Fire protection version - possible in combination with the cover fabrics Step or Fame	□	6004	169,-

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page 'Covering materials'.



Recommended retail prices in Euro exclusive of VAT (2023) [3]. All dimensions in mm.

25 % rabatt ska dras av på angivna priser

Sedus se:lab sofa specification

► Mobile sofa

- Upholstery**
- Comfortable and generously sized upholstered cushions, suitable for any body size
 - Filling consists of hollow fibre balls made of 100% polyester
 - Upholstery thickness 200 mm
 - Membrane of the cushion attachment: made of 100% recyclable polyester, always in black, prevents the cushions from slipping
 - Seat and backrest cushion can be individually configured

-
- Frame**
- Curved round tube from steel: Ø 40 mm, wall thickness 2 mm

-
- Castors/glides**
- Soft castors are supplied for universal use, Ø 100 mm, white colour for white frame, otherwise always black
 - Glides are attached to the rear frame tube, they are suitable for universal use, always white

-
- User weight**
- Recommended for user weights up to 110 kg per cushion

-
- Shipping / dispatch**
- The model is available in a space-saving package for safe delivery by courier, unique and easy to assemble

-
- Standards / Certificates**
- GS label by TÜV Rheinland LGA Products GmbH / DIN EN 16139 L1
 - GREENGUARD Certificate
 - AGR [se:lab concept] – Seal of approval of Aktion Gesunder Rücken e.V. [Campaign for Healthier Backs]
 - Awarded BLAUER ENGEL
 - All available certificates can be found at: <https://www.sedus.com/en/products/chairs/selab-sofa>



-
- Design awards**
- iF DESIGN AWARD 2021, Discipline Product (lk-602)
 - Red Dot Design Award 2021, Winner (lk-602)
 - German Design Award 2022, Winner (lk-602)



-
- Warranty**
- 5 years [see guarantee terms]
-

se:lab hopper

sedus

The se:lab hopper promotes movement and exchange and serves as a source of inspiration. Dynamic sitting allows for a variety of postures and also encourages spontaneous relaxation.



Standing seat from 4.248,-



Sedus se:lab hopper

► Stool and standing seat



lp-905

9
Atlantic
Era
Nova
Phoenix

4.248,-

4
Connect
Cura
Fame
Step
Imitation leather

4.486,-

2
Milano
Remix
Tempo

4.825,-

1
Breeze Fusion
Morph
Steelcut Trio 3

5.141,-

Frame


Steel frame stackable black	■	8001-103
Steel frame stackable fjord green	□	8001-157
Steel frame stackable clear white	□	8001-158
Steel frame stackable cayenne red	□	8001-159
Steel frame stackable sand beige	□	8001-160

Castors / Glides

Plastic glides	■	2800	
Felt glides	□	2801	124,-

Please note the information about the fabrics Morph and Steelcut Trio 3 of the Elegance Line on the page 'Covering materials'.

se:lab hopper



Sedus se:lab hopper specification

► Stool and standing seat

Basic model	- Light overall weight of 6.8 kg
Seat	<ul style="list-style-type: none">- Ergonomically shaped seat made of soft foam padding covered with fabric- Individual upholstery with different fabrics is available- The width of the seat encourages quick standing up due to the support surface on both sides- Upholstery thickness 30 - 65 mm
Frame	<ul style="list-style-type: none">- V-shaped steel frame- Steel tube (round tube): Ø 30 mm, wall thickness 2 mm- Limitlessly stacked into each other; stacked storage + 185 mm per additional unit- Can be stacked to a maximum of 3 units on top of each other using stacking protection; stacked storage: + 160 mm per additional unit
Glides	- Universal glides, black, optional felt glides
User weight	- Recommended for user weights up to 110 kg
Standards / Certificates	<ul style="list-style-type: none">- GS label of TÜV Rheinland LGA Products GmbH / DIN EN 16139 L1- Tested for harmful substances by TÜV Rheinland LGA Products GmbH- GREENGUARD certified- AGR (se:lab concept) – Seal of approval of Aktion Gesunder Rücken e.V. (Campaign for Healthier Backs)- Awarded BLAUER ENGEL- All available certificates can be found at: https://www.sedus.com/en/products/chairs/selab-hopper



Design awards	<ul style="list-style-type: none">- ICONIC AWARDS 2021: Interior Innovation – Winner- iF DESIGN AWARD 2021, Discipline Product- Red Dot Design Award 2021, Winner- German Design Award 2022, Winner
----------------------	--



Warranty	- 5 years (see guarantee terms)
-----------------	---------------------------------

25 % rabatt ska dras av på angivna priser

se:lab high desk

sedus



25 % rabatt ska dras av på angivna priser

list of contents

Product overview	5
Surface matrix	6 - 7
Product description	8 - 9
high desk agile	10
high desk agile 600 mm deep	10
high desk	12 - 17
high desk 700 mm deep	12
high desk 800 mm deep	13
high desk 900 mm deep	14
high desk 1000 mm deep	15
high desk 1200 mm deep	16
high desk 1400 mm deep	17
Desk accessories / Accessories	18 - 20
CPU holder	18
Laptop holder horizontal	18
tray	18
Folding cable channel	19
Horizontal cable management	19
Vertical cable management	20







25 % rabatt ska dras av på angivna priser


se:lab high desk product overview

high desk agile



high desk



 Veneer grain/design grain

Dimensions in mm

25 % rabatt ska dras av på angivna priser

Surface Matrix

Top / ABS edge

Melamine

<i>wood selection</i>															
K80	ash light	•													
K81	oak light	•													
K82	oak natural	•													
K83	oak cognac	•													
K84	walnut natural	•													
N10	likewood oak	•													
N11	likewood oak lime washed	•													
<i>architecture line</i>															
A14	pure white	•													
K74	natural white	•													
K94	clear white	•													
02	arctic white	•													
K77	light grey	•													
K78	pebble grey	•													
K79	stone grey	•													
K70	graphite black	•													
Melamine fire protection class B1															
K74	natural white	•													

Surface Matrix

Top / ABS edge

Veneer

<i>Price-group 1</i>																				
B26	beech natural	•																		
Q10	hickory natural	•																		
<i>Price-group 2</i>																				
H11	maple natural	•																		
H12	heartwood maple natural	•																		
C17	oak wenge varnish	•																		
C11	oak natural	•																		
C19	rustic beam oak light	•																		
D14	walnut smooth	•																		
D16	walnut rustic	•																		
E41	ash natural	•																		
E10	ash white	•																		
E45	ash black	•																		
U10	elm natural	•																		
<i>Price-group 3</i>																				
C20	rustic beam oak dark	•																		
D11	walnut dark	•																		
D15	walnut wild	•																		
HPL																				
<i>Price-group 2</i>																				
J10	soft touch white	•																		
J11	soft touch black	•																		
J12	soft touch sand	•																		

25 % rabatt ska dras av på angivna priser

se:lab high desk product description

Product family

The se:lab high desk supports formal and informal communication in the central zone. At a height of 1050 and 900 mm, the high desks invite stand-up communication. Meetings are quicker and brainstorming is stimulated. Changing posture from sitting at a workstation to standing at the high desk during a meeting contributes to well-being and performance.

The product family includes:

- high desks agile
- high desks

Frame system

The frame system is based on a functional frame construction consisting of two leg frames which are bolted together with one or two longitudinal crossbeams. The high-strength connection of the legs with the frame is achieved by means of a stable screw system with 2 screws in order to ensure optimal force transmission into the frame system.

Base

The leg frame has been developed by Sedus and consists of round tubes. These create a filigree and light appearance.

For optimum ergonomics, an all-round chrome foot rail is supplied as standard. It is attached to the leg frames using angled connectors.

The se:lab high desks agile are fitted with four lockable castors as standard.

High desks are fitted with gliders. Optionally, these desks can also be fitted with castors to support use in agile workplace concepts.

Height adjustment:

- standing height 1050 mm
- intermediate height 900 mm

(cross section round tube Ø 40 mm)

Desktop shapes

The following linear desktops are available for the se:lab high desk series:

high desks agile

- widths: 1000, 1200, 1400 mm
- depth: 600 mm

high desks

- widths: 1000, 1200, 1400, 1600, 1800, 2000 mm
- depths: 700, 800, 900, 1000, 1200, 1400 mm

The desktops are available in a 19 mm thick three-layer chipboard with melamine resin finish or veneer. The desktops have 90° corners as standard. Optionally, it is possible to have rounded corners with a radius of r=50.

Product features

high desk

The desktops of the se:lab high desks are connected to the frame by desktop block connectors as standard. Mounting by means of desktop clip connectors is available as an option.

Electrical connection

Horizontal cable management

For horizontal cable management, a set of Velcro strips which can be freely positioned is available. These can be attached under the desktop by means of double-sided adhesive tape. The set includes seven mounting plates with a Velcro strip.

A cable net for free positioning under the desktop is also available. The cable net has a size of 280 x 200 mm and is elastic. It is mounted under the desktop using 6 connection points.

The cable trays, which fold down on both sides, match the width of the desk and attached below the worktop. They can accommodate 3- or 4-socket modules to provide power underneath the desk. The cable trays also have sufficient space for spare cables. When folded down, the cable trays are easily accessible.

Vertical cable management

Cables are invisibly guided from the floor to the cable channel by means of an optional cable conduit. Two options are available for the flexible cable management with cable separation and strain relief:

- free positioning underneath the desktop by means of a bolt connection.
- mounting on the cable tray

Round grommet / Preparation

The Sedus desk series includes various grommets as well as prepared openings for desk connection panels.

When combining grommets/prepared openings for desk connection panels, some width/depth-dependent configurations or those with a cable tray are not possible. For visualisation of the possible combinations, please refer to the OFML files.

Add-on options

CPU holder

The CPU holder is mounted under the desktop. The usable size of the supporting plate is 450 x 205 mm. The maximum load capacity is 10 kg.

Laptop holders

A laptop holder is available for the se:lab high desk programme. The holder is mounted under the desktop. The usable size of the supporting plate is 350 x 330 mm. The maximum load capacity is 10 kg.

Tray

The se:lab tray is a drawer that is attached underneath the desk. It consists of a metal housing, which is screwed under the desktop, and a pull-out felt tray. With internal dimensions of 350 x 225 mm, external dimensions of 382 x 236 mm and a height of 70 mm, the se:lab tray offers sufficient storage space for everyday items, such as pens, notebooks and smartphones. The metal housing can be powder-coated in all common se:lab colours, the felt tray is available in anthracite and light grey. The se:lab tray is optionally available with a lock. The maximum load capacity is 10 kg.

se:lab high desk product description

Surfaces

Frame elements

The steel round tube is finished with solvent-free, environmentally friendly powder coatings. The frame elements are available in

- clear white
- black
- cayenne red
- sand beige
- fjord green
- chrome-plated

Desktops

The desktops are available in the following designs:

19 mm three-layer chipboard:

- melamine resin coating in a single colour or various decorative wood effects (top surface compliant with EN 14322), with all-round PP laser edge in the same colour as the top.
- matt soft touch surfaces with pleasant haptic properties, with all-round 1 mm ABS edge in the same colour as the top. The desk with the soft touch desktop does not meet the requirements of the GS test certificate according to DIN Special Report 147, as the 3 mm radius of the edge specified by this standard is not maintained.

The minimum light fastness is 6 on the wool scale. Substrate compliant with EN 312-2003.

19 mm three-layer chipboard:

- high-quality crown cut veneer surface, veneer edge on all sides, surface in a high-quality, durable, two-component water-based polyurethane lacquer

Veneer is a natural product. The colour of the veneer is determined by the type and structure of the wood, and may vary. All woods change colour over time because of the effects of light. Natural differences are not a cause for complaint, but in fact confirm that the material is genuine.

With regard to formaldehyde emissions, the coated particle boards comply with standard E05 according to EN 717-1.

For information on the fulfilment of the surface finish and surface brightness according to DIN Special Report 147, please refer to the Surface Overview.

For more information about maintenance and cleaning of surfaces, see „Care and Cleaning Instructions“.

Packaging

Items are supplied in sections for on-site final assembly in order to keep the transport volume as small as possible.

Quality & ecology

The se:lab high desk programme is designed to meet the following requirements:

- GS test certificate
- DIN Special Report 147
- DIN EN-527-1/2/3 office desks (except for soft touch)
- BGI 650
- DIN EN 16555
- PAH confirmation for relevant components
- Tested for harmful substances
- PEFC certification for wood components

The production processes are certified according to:

- DIN ISO 14001 Environmental management
- DIN ISO 9001 Quality management
- DIN ISO 50001 Energy management
- DIN ISO 45001 Occupational safety

Sedus se:lab high desk

high desk agile 600 mm deep



Basic desk	GTF- {10}		
Melamine	FS1- {see surface matrix}		
Table top mounting via block connectors	GT15- {10}		
Fixed height 1050 mm	GTI- {29}		
Leg support clear white	FS4- {158}		
Foot rail chrome-plated	FRELG- {236}		

Width in mm	1000	1200	1400
-------------	------	------	------

Code No. LH10HC-RECTA	W10D06	W12D06	W14D06
Round tube / Castors (GTO-RRR)	11.345,-	11.616,-	11.898,-

+ Options



19 mm

Top and edge FS1-**{see surface matrix}**

Veneer I	3.197,-	3.536,-	3.842,-
Veneer II	3.390,-	3.819,-	4.226,-
Veneer III	5.785,-	6.407,-	7.017,-
HPL II	3.390,-	3.819,-	4.226,-
likewood	350,-	395,-	463,-
B1 version K74 MAP-{6060}	237,-	316,-	350,-
Top rounded (r=50 mm) PLE-{02}			700,-



Table top mounting

via clips GT15-{20}			259,-
-----------------------------------	--	--	-------

Height adjustment

Fixed height 900 mm GTI-{27}			
--	--	--	--



Frame options

black FS4-{24}			
chrome-plated FS4-{236}			3.412,-
fjord green, cayenne red, sand beige FS4-{157,159,160}			485,-

Sedus se:lab high desk

high desk 700 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D07	W12D07	W14D07	W16D07	W18D07	W20D07
Round tube / Glides (GTO-RRS)	11.254,-	11.559,-	11.831,-	12.113,-	12.384,-	12.656,-
Round tube / Castors (GTO-RRR)	11.898,-	12.181,-	12.463,-	12.746,-	13.017,-	13.288,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	3.819,-	4.226,-	4.633,-	5.062,-	5.378,-	5.661,-
Veneer II	4.327,-	4.791,-	5.254,-	5.695,-	6.000,-	6.282,-
Veneer III	6.726,-	7.650,-	8.554,-	9.130,-	9.729,-	10.305,-
HPL II	4.327,-	4.791,-	5.254,-	5.695,-	6.000,-	6.282,-
likewood	372,-	452,-	531,-	598,-	655,-	745,-
B1 version K74 MAP-{6060}	316,-	350,-	395,-	452,-	531,-	632,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}	
--	--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	4.226,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Sedus se:lab high desk

high desk 800 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D08	W12D08	W14D08	W16D08	W18D08	W20D08
Round tube / Glides (GTO-RRS)	11.480,-	11.763,-	12.034,-	12.328,-	12.599,-	12.870,-
Round tube / Castors (GTO-RRR)	12.113,-	12.384,-	12.656,-	12.961,-	13.232,-	13.514,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	4.000,-	4.373,-	5.062,-	5.401,-	5.616,-	5.853,-
Veneer II	4.542,-	4.757,-	5.582,-	6.056,-	6.135,-	6.407,-
Veneer III	7.322,-	7.921,-	9.243,-	10.057,-	10.181,-	10.644,-
HPL II	4.542,-	4.757,-	5.582,-	6.056,-	6.135,-	6.407,-
likewood	418,-	519,-	598,-	655,-	745,-	813,-
B1 version K74 MAP-{6060}	350,-	395,-	452,-	497,-	621,-	689,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}	
--	--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	4.926,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

25 % rabatt ska dras av på angivna priser

Recommended retail prices excl. VAT. (PL 2023)

Sedus se:lab high desk

high desk 900 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D09	W12D09	W14D09	W16D09	W18D09	W20D09
Round tube / Glides (GTO-RRS)	11.695,-	11.966,-	12.328,-	12.599,-	12.870,-	13.153,-
Round tube / Castors (GTO-RRR)	12.328,-	12.599,-	12.961,-	13.232,-	13.514,-	13.786,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	4.260,-	4.599,-	5.299,-	5.695,-	5.887,-	6.090,-
Veneer II	4.621,-	4.994,-	5.808,-	6.203,-	6.429,-	6.678,-
Veneer III	7.717,-	8.271,-	9.695,-	10.373,-	10.678,-	11.119,-
HPL II	4.621,-	4.994,-	5.808,-	6.203,-	6.429,-	6.678,-
likewood	497,-	576,-	644,-	745,-	813,-	960,-
B1 version K74 MAP-{6060}	406,-	474,-	565,-	621,-	689,-	768,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}	
--	--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	7.424,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Electrification

Folding cable tray (black) GEL-{KA}	711,-	813,-	870,-	1017,-	1.118,-	1.197,-
Colour of cable tray FKW-{157,158,159,160}						248,-
fjord green, clear white, cayenne red, sand beige						



Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 1000 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D10	W12D10	W14D10	W16D10	W18D10	W20D10
Round tube / Glides (GTO-RRS)	11.763,-	12.181,-	12.599,-	13.017,-	13.447,-	13.853,-
Round tube / Castors (GTO-RRR)	12.384,-	12.814,-	13.232,-	13.650,-	14.068,-	14.486,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	4.757,-	5.299,-	5.887,-	6.248,-	6.350,-	6.983,-
Veneer II	5.096,-	5.740,-	6.350,-	7.017,-	7.209,-	4.237,-
Veneer III	7.808,-	8.847,-	9.944,-	11.729,-	11.989,-	12.701,-
HPL II	5.096,-	5.740,-	6.350,-	7.017,-	7.209,-	7.627,-
likewood	542,-	621,-	711,-	813,-	960,-	1.073,-
B1 version K74 MAP-{6060}	485,-	598,-	632,-	689,-	768,-	824,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}
--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	8.124,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Electrification

Folding cable tray (black) GEL-{KA}	711,-	813,-	870,-	1017,-	1.118,-	1.197,-
Colour of cable tray FKW-{157,158,159,160}						248,-
fjord green, clear white, cayenne red, sand beige						



Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

25 % rabatt ska dras av på angivna priser

Recommended retail prices excl. VAT. (PL 2023)

Sedus se:lab high desk

high desk 1200 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D12	W12D12	W14D12	W16D12	W18D12	W20D12
Round tube / Glides (GTO-RRS)	12.181,-	12.599,-	13.017,-	13.447,-	13.853,-	14.271,-
Round tube / Castors (GTO-RRR)	12.814,-	13.232,-	13.650,-	14.068,-	14.486,-	14.904,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	5.299,-	6.079,-	6.881,-	7.672,-	8.475,-	9.243,-
Veneer II	5.740,-	6.689,-	7.582,-	8.486,-	9.401,-	10.271,-
Veneer III	8.847,-	9.480,-	10.870,-	12.328,-	13.706,-	15.085,-
HPL II	5.740,-	6.689,-	7.582,-	8.486,-	9.401,-	10.271,-
likewood	621,-	745,-	836,-	1.017,-	1.141,-	1.231,-
B1 version K74 MAP-{6060}	598,-	644,-	757,-	847,-	983,-	1.062,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}	
--	--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	9.503,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Electrification

Folding cable tray (black) GEL-{KA}	711,-	813,-	870,-	1.017,-	1.118,-	1.197,-
Colour of cable tray FKW-{157,158,159,160}						248,-
fjord green, clear white, cayenne red, sand beige						



Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 1400 mm deep



Basic desk							GTF- {10}
Melamine							FS1- {see surface matrix}
Table top mounting via block connectors							GT15- {10}
Fixed height 1050 mm							GTI- {29}
Leg support clear white							FS4- {158}
Foot rail chrome-plated							FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D14	W12D14	W14D14	W16D14	W18D14	W20D14
Round tube / Glides (GTO-RRS)	12.599,-	13.017,-	13.447,-	13.853,-	14.271,-	14.701,-
Round tube / Castors (GTO-RRR)	13.232,-	13.650,-	14.068,-	14.486,-	14.904,-	15.334,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	6.463,-	6.915,-	7.367,-	7.808,-	8.780,-	9.695,-
Veneer II	7.051,-	7.627,-	8.192,-	8.780,-	9.853,-	10.881,-
Veneer III	9.774,-	10.927,-	12.079,-	13.277,-	14.927,-	16.565,-
HPL II	7.051,-	7.627,-	8.192,-	8.780,-	9.853,-	10.881,-
likewood	621,-	836,-	1.039,-	1.163,-	1.276,-	1.435,-
B1 version K74 MAP-{6060}	632,-	757,-	870,-	1.017,-	1.118,-	1.197,-
Top rounded (r=50 mm) PLE-{02}						700,-



Table top mounting

via clips GT15-{20}	259,-
-----------------------------------	-------



Height adjustment

Fixed height 900 mm GTI-{27}	
--	--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	10.893,-
fjord green, cayenne red, sand beige FS4-{157,159,160}	485,-



Electrification

Folding cable tray (black) GEL-{KA}	711,-	813,-	870,-	1.017,-	1.118,-	1.197,-
Colour of cable tray FKW-{157,158,159,160}						248,-
fjord green, clear white, cayenne red, sand beige						



Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

25 % rabatt ska dras av på angivna priser

Recommended retail prices excl. VAT. (PL 2023)

Sedus se:lab high desk

Laptop holder horizontal



The maximum load capacity is 10 kg.

clear white FS6-**{158}**

Measurements in mm 350 x 330

Code No. LA90AC-LAPHO

Price/SEK 1.740,-

+ Options

Colour accessories

black, white aluminium FS6-**{24,119}**

fjord green, cayenne red, sand beige FS6-**{157,159,160}** 248,-

CPU holder



The maximum load capacity is 10 kg.

clear white FS6-**{158}**

Measurements in mm 450 x 205

Code No. LA90AC-CPUHO

Price/SEK 1.740,-

+ Options

Colour accessories

black, white aluminium FS6-**{24,119}**

fjord green, cayenne red, sand beige FS6-**{157,159,160}** 248,-

tray



Suspended drawer

PET felt tray in anthracite FSC-**{V51}**

Metal housing in clear white FS6-**{158}**

External dimensions 382 x 236 mm

Measurements in mm 350 x 225

Code No. LA90AC-FTRAY

Price/SEK 2.067,-

+ Options

Metal housing

black FS6-**{24}**

fjord green, cayenne red, sand beige FS6-**{157,159,160}** 248,-

Colour felt tray


PET felt in light grey FSC-**{V52}**

Locking system

with series locking GVS-**{0301-0360}** 361,-

Sedus se:lab high desk

Horizontal cable management



Cable net, elastic and freely positionable

280 x 200 mm with 6 connection points

Code No. **MP90AC-CANET**

248,-



Velcro cable management set

consisting of 7 mounting plates with a Velcro strip for flexible attachment under the table top

Code No. **MP90AC-STRIP**

90,-

Folding cable tray



Cable tray black

FKW-{24}

Desk width in mm

1000

1200

1400

1600

1800

2000

Width in mm

450

650

850

1050

1250

1450

Code No. **LA90WS-FOCAB**

W10

W12

W14

W16

W18

W20

Price/SEK

644,-

745,-

813,-

960,-

1.062,-

1.130,-

+ Options

Colour of cable tray

fjord green, clear white, cayenne red, sand beige **FKW-{157,158,159,160}**

248,-

Details

Not possible on 600 mm, 700 mm and 800 mm deep!

25 % rabatt ska dras av på angivna priser

Recommended retail prices excl. VAT. (PL 2023)

Sedus se:lab high desk

Vertical cable management



Cable management system with cable tension relief device; desk and floor adapter for fixing to cable tray

for height adjustment by gas spring or by electric motor

black, translucent white, neutral white **FS6-~~{24,105,134}~~**

Code No. **63297**

1.062,-

Cable management system with strain relief; floor adapter and desk mounting for free positioning

black, translucent white, neutral white **FS6-~~{24,105,134}~~**

Code No. **MP90AC-CAMEL**

1.062,-